

# List of type specimens of the species, varieties, and forma deposited in Blatter herbarium, Bombay<sup>1</sup>

P. V. BOLE<sup>2</sup> AND M. R. ALMEIDA<sup>3</sup>

(Continued from vol. 74 (2) : 232)

## LILIACEAE

111. *Iphigenia stellata* Blatter, in Journ. Bombay nat. Hist. Soc. 32 (4) : 734, 1928.

Lectotype : E. Blatter—Panchgani-P-1 (June, 1927),

Syntypes : E. Blatter—Panchgani P-1 A-C (June, 1927).

There were a number of unmounted specimens in newspapers with a common number P-1. They are now mounted on four herbarium sheets and one of them is retained with no. P-1 and is herein selected as the lectotype and remaining three are marked with P-1A, P-1B and P-1C and designated as syntypes.

112. *Scilla viridis* Blatter, in Journ. Indian Bot. 2 : 52-3, 1921.

Holotype : C. McCann—Khandala-14500 (Sept., 1918).

113. *Urginia polyantha* Blatter, in Journ. Bombay nat. Hist. Soc. 32(4) : 735, 1928.

<sup>1</sup> Accepted December 1975.

<sup>2</sup> Blatter Herbarium, St. Xavier's College, Bombay-400 001

<sup>3</sup> Presently at CIBA-GEIGY Research Centre, Bombay-400 063.

Lectotype : E. Blatter & McCann—Panchgani-101 (Apr., 1926),

Syntypes : E. Blatter & McCann—Panchgani-101 A-G (Apr., 1926).

The lectotype no. 101 is one of the unmounted specimens found in a common folder in McCann's herbarium. The remaining duplicates have been marked 101A, 101B, 101C, 101D, 101E, 101F and 101G and designated as syntypes.

## LINACEAE

114. *Hugonia bellii* Sedgwick, in Indian Forester, 10(6) : 424, 1920.

Lectotype : T. R. D. Bell—Coorg-5457 (Feb., 1919),

Syntypes : T. R. D. Bell—Coorg-5457A (Feb., 1919),

T. R. D. Bell—Coorg-3916 (May, 1918).

In the original publication the author has given no. 5457 as the type of this species. There are however two herbarium sheets under this number in Blatter Herbarium. One of them is selected herein as the lectotype under the same number and the other specimen is designated as syntype of the species.

*TYPE SPECIES IN BLATTER HERBARIUM*

**LYTHRACEAE**

115. **Ammania senegalensis** forma *indica*  
Blatter et Hallberg, in Journ. Bombay  
nat. Hist. Soc. 26(1) : 214, 1918.

Lectotype : Blatter & Hallberg—Poona-  
19866 (Aug., 1895).

Syntypes : Blatter & Hallberg—Poona-  
3352 (Dec., 1917).  
Blatter & Hallberg—Khandala-  
3350 (Nov., 1916).

In the original publication authors have mentioned three specimens as types. No. 19866 is herein selected as the lectotype of the species and other two are kept as syntypes.

**MALVACEAE**

116. **Abutilon fruticosum** var. *chrysocarpa*  
Blatter et Hallberg, in Journ. Bombay  
nat. Hist. Soc. 26(1) : 227, 1918.

Holotype : Blatter & Hallberg—Jaisalmer-  
5660 (Nov., 1917).

117. **Abutilon indicum** var. *major* Blatter et  
Hallberg, in Journ. Bombay nat. Hist.  
Soc. 26(1) : 226, 1918.

Holotype : Blatter & Hallberg—  
Jaisalmer-5644 (Nov., 1917).

118. **Althaea villosa** Blatter, in Journ. Indian  
Bot. Soc. 9(4) : 201, 1930.

Holotype : J. Fernandez—Miranshah-804  
(16-4-1927).

119. **Althaea villosoides** Blatter et Hallberg,  
in Journ. Indian Bot. Soc. 9(4) : 202,  
1930.

Holotype : J. Fernandez—Miranshah-805  
(16-4-1927),

Paratype : J. Fernandez—Miranshah-  
1622 (16-4-1927).

120. **Malva waziristanensis** Blatter, in Journ.  
Indian Bot. Soc. 9(4) : 202, 1930.

Holotype : J. Fernandez—Miranshah-  
493 (12-4-1927).

121. **Pavonia arabica** var. *glutinosa* Blatter et  
Hallberg, in Journ. Bombay nat. Hist.  
Soc. 26(1) : 227, 1918.

Lectotype : Blatter & Hallberg—Jodhpur-  
5669 (Oct., 1917).

(See Santapau, 1959 B).

**ORCHIDACEAE**

122. **Dendrobium mabalaе** Gammie, in Journ.  
Bombay nat. Hist. Soc. 16 : 567, 1905.

Holotype : G. A. Gammie—Castle Rock-  
15782 (29-10-1902).

123. **Eria minima** Blatter et McCann, in Journ.  
Bombay nat. Hist. Soc. 35 : 274, f. 2,  
1931.

Holotype : L. J. Sedgwick—Anmode, N.  
Kanara-3260 (December ),

Paratypes : L. J. Sedgwick-Jog-7170 (Oct.,  
1918),

T. R. D. Bell—Anmode-4443  
(Oct., 1918),

M. Ezekiel—Mahabaleshwar-  
2670 (17-2-1917).

124. **Eria rupestris** Blatter et McCann, in  
Journ. Bombay nat. Hist. Soc. 35(2) :  
270, 1931.

Isotypes : May Langham—Panchgani-  
228-9 (June, 1925).

125. **Habenaria cerea** Blatter, in Journ.  
Bombay nat. Hist. Soc. 36(2) : 21,  
t. 6, 1932.

Holotype : E. Blatter—Panchgani-73  
(August, 1925),

125. Isotype : E. Blatter—Panchgani-P-76  
 (August, 1925),  
 Paratypes : L. J. Sedgwick—Panchgani-7568 (Oct., 1920),  
 L. J. Sedgwick—Panchgani-7907 (Aug., 1921).
126. **Habenaria grandifloriformis** Blatter et McCann, in Journ. Bombay nat. Hist. Soc. 36 : 17, 1932.  
 Paratypes : L. J. Sedgwick—Panchgani-7900 (Feb., 1921),  
 L. J. Sedgwick—Dharwar-2601 (July, 1917).
127. **Habenaria multicaudata** Sedgwick, in Rec. Bot. Surv. India, 6 : 352, 1919.  
 Holotype : T. R. D. Bell—Gudehalli-3045 (Sept., 1917).
128. **Habenaria spencei** Blatter et McCann, in Journ. Bombay nat. Hist. Soc. 36 : 17, t. 3, 1932.  
 Isotype : C. McCann—Mahabaleshwar-3027 (28-8-1930).
129. **Habenaria variabilis** Blatter, in Journ. Bombay nat. Hist. Soc. 36 : 19-20, tt. 4-5, 1932.  
 Paratypes : E. Blatter—Panchgani-201, 204-6 (July, 1925),  
 E. Blatter & M. Isaacs—Panchgani-26494 (July, 1925),  
 L. J. Sedgwick—Panchgani-7908 bis (Aug., 1921).
130. **Liparis flavo-viridis** Blatter et McCann, in Journ. Bombay nat. Hist. Soc. 35(2) : 260, 1931.  
 Paratype : Mr. Spooner—Londa-s.n. (20-8-1905).
131. **Luisia macrantha** Blatter et McCann, in Journ. Bombay nat. Hist. Soc. 35 : 492, t. 10, 1932.  
 Lectotype : T. R. D. Bell—N. Kanara-5400 (1907),  
 Syntypes : T. R. D. Bell—N. Kanara-5397A, 5414 (1907),  
 L. J. Sedgwick—Anmode, N. Kanara-3224 (Dec., 1917).
132. **Luisia pseudotenuifolia** Blatter et McCann, in Journ. Bombay nat. Hist. Soc. 35 : 492, t. 11, 1932.  
 Isotype : T. R. D. Bell—N. Kanara-5411 (1907).
133. **Nervillea monantha** Bell et Blatter, in Journ. Bombay nat. Hist. Soc. 35 : 724, 1932.  
 Holotype : T. R. D. Bell—Yellapur, N. Kanara-5428 (1907),  
 Isotype : T. R. D. Bell—Yellapur, N. Kanara-5429 (1907),  
 Paratypes : T. R. D. Bell—Yellapur, N. Kanara-2522-4 (May, 1917),  
 L. J. Sedgwick—Karwar-4071 (June, 1900),  
 L. J. Sedgwick—Nagargali-2635 (July, 1917).
134. **Oberonia lingmalensis** Blatter et McCann, in Journ. Bombay nat. Hist. Soc. 35(2) : 255, 1931.  
 Paratypes : L. J. Sedgwick—Mahabaleshwar-7755 (1920),  
 T. R. D. Bell—Thana-3973 (Feb., 1918).
135. **Oberonia sedgwickii** Blatter et McCann, in Journ. Bombay nat. Hist. Soc. 35(2) : 257, 1931.  
 Paratype : L. J. Sedgwick—Castle Rock-5540 (March, 1919).

*TYPE SPECIES IN BLATTER HERBARIUM*

136. *Peristylis xanthochlora* Blatter et McCann, in Journ. Bombay nat. Hist. Soc. 35 : 733, 1932.

Paratypes : E. Blatter—Panchgani P-81 (Oct., 1925),

                  L. J. Sedgwick—Panchgani-7566 (Dec., 1920),

                  L. J. Sedgwick—Panchgani-7596 bis (Dec., 1920),

                  L. J. Sedgwick—Mahabaleshwar-7622 bis (Dec., 1920),

                  L. J. Sedgwick—Mahabaleshwar-7642 (Dec., 1920).

137. *Sacrochilus flabelliferum* Blatter et McCann, in Journ. Bombay nat. Hist. Soc. 35(4) : 722, 1932.

Holotype : L. J. Sedgwick & T. R. D. Bell—Devimane, N. Kanara-6951 (Oct., 1919),

Paratypes : L. J. Sedgwick—Sirsi, N. Kanara-7078 (Oct., 1919),

                  T. R. D. Bell—N. Kanara-5413 (1907).

138. *Tropidia bellii* Blatter, in Journ. Bombay nat. Hist. Soc. 35(4) : 730, 1932.

Holotype : T. R. D. Bell—Gudehalli-2992 (Sept., 1917).

OROBANCHACEAE

139. *Aeginetia indica* var. *alba* Santapau, in Kew Bull. 1948 : 491-2, 1949.

Holotype : H. Santapau—Khandala-2412 (21-8-1943),

Paratype : H. Santapau—Khandala-4812 (8-9-1944).

140. *Christisonia flamea* Sedgwick, in Journ. Indian Bot. 2: 123, 1921.

Lectotype : Hallberg & McCann-Gersoppa falls-34663 (Oct., 1919).

In the original publication, Sedgwick does not specify the type specimen. According to him the type material was collected by Sedgwick, Bell, Hallberg and McCann, in Nov., 1919. The date of type collection does not agree with the material available in Blatter Herbarium. Since no. 34663 is the only specimen available, which also happens to be collected earlier than the type mentioned, it is selected herein as the lectotype of this species.

PAPILIONACEAE

141. *Alysicarpus monilifer* var. *venosa* Blatter et Hall., in Journ. Bombay nat. Hist. Soc. 26(1) : 240, 1918.

Lectotype : E. Blatter—Jaisalmer-7226 (Nov., 1917).

142. *Argyrolobium mucilagineum* Blatter, in Journ. Bombay nat. Hist. Soc. 36(2) : 481, 1933.

Holotype : E. Blatter & J. Fernandez—Waziristan-870 (5-4-1930),

Paratype : E. Blatter & J. Fernandez—Waziristan-657 (5-4-1930).

143. *Argyrolobium purpurascens* Blatter, in Journ. Bombay nat. Hist. Soc. 36(2) : 480, 1933.

Holotype : E. Blatter & J. Fernandez—Waziristan-1642 (19-4-1930).

144. *Aegyrolobium strigosum* Blatter, in Journ. Bombay nat. Hist. Soc. 39(4) : 205, 1936.

Holotype : J. Fernandez—Saragorha-163 (20-5-1927),

- Paratypes : J. Fernandez—Waziristan-359 (4-4-1927),

                  J. Fernandez—Waziristan-4046 (21-6-1927),

                  J. Fernandez—Miranshah-363 (14-4-1927).

145. *Astragalus fernandezianus* Blatter, in Journ. Bombay nat. Hist. Soc. 36(2) : 482, 1933.  
 Holotype : J. Fernandez—Razmak-3278 (5-5-1927),  
 Isotypes : J. Fernandez—Razmak-3113, 3174, 3179 (5-5-1927),  
 Paratypes : E. Blatter & J. Fernandez—Waziristan-1261 (14-4-1930).
146. *Astragalus lasius* Blatter, in Journ. Bombay nat. Hist. Soc. 36(2) : 480, 1933.  
 Holotype : E. Blatter & J. Fernandez—Waziristan-754 (2-4-1930),  
 Paratype : E. Blatter & J. Fernandez—Waziristan-261 (23-4-1930).
147. *Caragona spinosissima* Blatter, in Journ. Indian Bot. Soc. 9(4) : 205-6, 1930.  
 Holotype : E. Blatter—Boya-910 (27-3-1927),  
 Isotype : E. Blatter-Boya 907 (27-3-1927).
148. *Calophaca tomentosa* Blatter et Hallberg, in Journ. Indian Bot. 1 : 19, 1919.  
 Holotype : J. E. B. Houston—Paharechi-322 (18-9-1917).
149. *Dorychnium vilosum* Blatter et Hallberg, in Journ. Indian Bot. 1 : 18, 1919.  
 Lectotype : J. E. B. Houston—Ispikan-M-89 (7-3-1918),  
 Syntype : J. E. B. Houston—Ispikan-M-89A (7-3-1918).
- In original publication authors have mentioned both specimens as types. M-89 is herein selected as the lectotype of the species.
150. *Indigofera acanthinocarpa* Blatter, in Journ. Bombay nat. Hist. Soc. 36(2) : 482, 1933.
- Holotype : J. Fernandez—Durgai post-4066 (22-6-1927),  
 Isotype : J. Fernandez—Durgai post-4075 (22-6-1927),  
 Paratype : J. Fernandez—Tenai-4030 (21-6-1927).
151. *Indigofera articulata* var. *monosperma* Santapau, in Proc. Nat. Inst. Sci. India, 24B (3) : 135-7, 1958.  
 Holotype : H. Santapau—Dwarka-16771 (16-10-1953),  
 Isotype : H. Santapau—Dwarka-16784 (16-10-1953),  
 Paratypes : H. Santapau—Dwarka-4625-6 (20-8-1952).
152. *Indigofera oreophila* Santapau et Panthaki, in Journ. Bombay nat. Hist. Soc. 54(1) : 221-3, 1956.  
 Holotype : D. P. Panthaki—Waghai-2350 (23-10-1955),  
 Paratypes : D. P. Panthaki—Pimpri-2415 (26-10-1955),  
                   H. Santapau—Waghai-19995 (22-10-1955),  
                   H. Santapau—Waghai-20081 (22-10-1955).
153. *Indigofera paucifolioides* Blatter et McCann, in Journ. Indian Bot. 1 : 19, 1919.  
 Holotype : J. E. B. Houston—Wad-226B (2-10-1917).
154. *Medicago monantha* Blatter, in Journ. Bombay nat. Hist. Soc. 26 : 969, 1933.  
 Holotype : E. Blatter & J. Fernandez—Waziristan-839 (14-1-1930),  
 Paratype : E. Blatter & J. Fernandez—Waziristan-660 (14-1-1930).

*TYPE SPECIES IN BLATTER HERBARIUM*

155. **Moghania gracilis** Mukherjee, in Bull. Bot. Soc. Bengal, 6(1) : 22-4, 1953.  
 Isotype : T. R. D. Bell—Castle Rock-4343 (Sept., 1918),  
 Paratype : H. Santapau—Khandala-949 (14-9-1930).
156. **Moghania praecox** var. **robusta** Mukherjee, in Bull. Bot. Soc. Bengal, 6(1) : 19-20, 1953.  
 Paratype : T. R. D. Bell—Thana-3634 (Feb., 1918).
157. **Psoralea odorata** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 26(1) : 238, 1918.  
 Lectotype : Blatter & Hallberg—Jodhpur-7005 (Nov., 1917).  
 (See Santapau, 1959 A).
158. **Rhynchosia arenaria** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 26(1) : 243, 1918.  
 Lectotype : Blatter & Hallberg—Jaisalmer-6942 (Nov., 1917).  
 (See Santapau, 1959 A).
159. **Rhynchosia rhombifolia** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 26(1) : 242, 1918.  
 Lectotype : Blatter & Hallberg—Jaisalmer-6948 (Nov., 1917).  
 (See Santapau, 1959 A).
160. **Tephrosia incana** var. **horizontalis** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 26(1) : 239, 1918.  
 Lectotype : E. Blatter—Jodhpur-6977 (Oct., 1917).  
 (See Santapau, 1959 A).
161. **Tephrosia jamnagarensis** Santapau, in Proc. Nat. Inst. Sci. India, 24 B (3) : 133-5, 1958.
- Holotype : H. Santapau—Jamnagar-7522 (16-10-1945).
162. **Tephrosia multiflora** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 26(1) : 239, 1918.  
 Lectotype : E. Blatter—Jaisalmer-6974 (Oct., 1917).  
 (See Santapau, 1959 A).
163. **Tephrosia petrosa** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 26(1) : 239, 1918.  
 Lectotype : Blatter & Hallberg—Jaisalmer-6969 (Nov., 1917).  
 (See Santapau, 1959 A).
164. **Trigonella dimorpha** Blatter, in Journ. Bot. Soc. 9(4) : 204, 1930.  
 Holotype : J. Fernandez—Razmak-3306 (5-5-1927).
165. **Trigonella laesia** Blatter, in Journ. Bombay nat. Hist. Soc. 36(2) : 479, 1933.  
 Holotype : J. Fernandez—Razmak-1883 (6-5-1927),  
 Isotypes : J. Fernandez—Razmak, 1841, 1853 (6-5-1927),  
 Paratype : J. Fernandez—Razmak-2320 (7-5-1927).
166. **Trigonella longepedunculata** Blatter, in Journ. Indian Bot. Soc. 9(4) : 204-5, 1930.  
 Holotype : J. Fernandez—Razmak-2376 (2-5-1927),  
 Isotypes : J. Fernandez—Razmak-2439, 3023, 3025, 3041, 3044 (2-5-1927),  
 Paratypes : J. Fernandez—Razimi-2165 (23-4-1927).

167. **Trigonella psylorrhynchos** Blatter, in Journ. Bombay nat. Hist. Soc. 36(2) : 479, 1933.

Holotype : E. Blatter & J. Fernandez—Razmak-1721 (24-4-1930).

PRIMULACEAE

168. **Androsace croftii** var. **scaposa** Santapau et Banerji, in Proc. Nat. Inst. Sci. India, 24B(3) : 137, 1958.

Holotype : M. L. Banerji—E. Nepal-686 (8-5-1952).

RANUNCULACEAE

169. **Ranunculus echinatissimus** Blatter, in Journ. Indian Bot. Soc. 9(4) : 200, 1930.

Holotype : J. Fernandez—Razimi-2912 (19-4-1927).

170. **Ranunculus fernandezii** Blatter, in Journ. Indian Bot. Soc. 9(4) : 199, 1930.

Holotype : J. Fernandez—Saragorha-21 (18-5-1927),

Isotype : J. Fernandez—Saragorha-33 (18-5-1927).

171. **Ranunculus hirtellus** var. **minor** Santapau et Banerji, in Proc. Nat. Inst. Sci. India 24B (3) : 138, 1958.

Holotype : M. L. Banerji—E. Nepal-798 (28-5-1953).

172. **Ranunculus nanus** Blatter, in Journ. Indian Bot. Soc. 9(4) : 199, 1930.

Holotype : J. Fernandez—Waziristan-2934 (19-4-1927).

173. **Ranunculus pseudomuricatus** Blatter et Hallberg, in J. Ind. Bot. Soc. 1 : 54, 1919.

Holotype : J. E. B. Houston—Nag-M-54A (7-4-1918).

174. **Thalictrum obovatum** Blatter, Journ. & Proc. Asiat. Soc. Bengal (New Series) 26(1) : 339-340, 1930.

Lectotype : Ankadi, Mahabaleshwar-P-26 (12-7-1925),

Syntype : Ankadi, Mahabaleshwar-P-26A (12-7-1925).

There were two unmounted specimens in a folder under no. P-26. One of them is selected herein as a lectotype and other is designated a syntype under P-26A.

RHAMNACEAE

175. **Ventilago madraspatana** var. **fructifida** Santapau, in Kew Bull. 1949 : 340, 1949.

Isotype : L. D. Garade—Khandala-s.n. (22-3-1905).

ROSACEAE

176. **Prunus leucophylla** Blatter, in Journ. Indian Bot. Soc. 9(4) : 206, 1930.

Holotype : E. Blatter—Boya-425 (8-4-1927),

Isotype : E. Blatter—Boya-424 (8-4-1927),

Paratype : E. Blatter—Raz.mi-2751 (19-4-1927).

177. **Pyrus parvifolia** Blatter, in Journ. Indian Bot. Soc. 9(4) : 207, 1930.

Holotype : E. Blatter—Razimi-2158 (23-4-1927),

Paratype : E. Blatter—Razmak-3344 (5-5-1927).

RUBIACEAE

178. **Gailonia macrantha** Blatter et Hallberg, in Journ. Indian Bot. Soc. 1 : 27, 1919.

Holotype : —, Quetta-s.n. (Aug., 1918).

179. **Oldenlandia maheshwarii** Santapau et Merchant, in Journ. Indian Bot. Soc. 42A : 213-5, 1963.

Holotype : Y. A. Merchant—Mahabaleshwar-1267 (20-9-1952),

Paratype : H. Santapau—Mahabaleshwar-14963 (20-9-1952).

180. **Oldenlandia sedgwickii** Blatter, in Journ. & Proc. Asiat. Soc. Bengal (New Series) 26(1) : 344, 1930.

Holotype : L. J. Sedgwick—Karwar-6653 (Oct., 1919).

SCROPHULARIACEAE

181. **Anticharia glandulosa** var. **caerulea** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 26 : 549, 1919 (nom. nud.), ex Santapau, in Journ. Bombay nat. Hist. Soc. 56(2) : 280, 1959.

Lectotype : Blatter & Hallberg—Jaisalmer-10284 (Nov., 1917).

(See Santapau, 1959 A).

182. **Bonnaya bracteoides** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 25(3) : 416, 1918.

Lectotype : Blatter & Hallberg—Mount Abu-1514 (Oct., 1916).

In the original publication, the authors have mentioned three specimens (nos. 1514, 1515 & 1516) as types of this species. Only one specimen out of the three is located in Blatter Herbarium and is herein selected as the lectotype of this species.

183. **Bonnaya micrantha** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 25(3) : 417, 1918.

Lectotype : Blatter & Hallberg—Igatpuri-1735 (Sept., 1917).

In the original paper, the authors have mentioned four specimens (nos. 1734, 1735, 1736 & 1765) as types. Out of these four only no. 1735 is located in the Blatter Herbarium and is selected herein as the lectotype of the species.

184. **Bonnayodes limnophyloides** Blatter et Hallberg, in Journ. Indian Bot. 2: 46-7, 1921.

Holotype : Blatter & Hallberg—Londa-9450 (Oct., 1918).

185. **Dopatrium junceum** var. **multiloba** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 25(3) : 426, 1918.

Holotype : Blatter & Hallberg—Igatpuri-1597 (Jan., 1917).

186. **Limnophila polystachyoides** Blatter, in Journ. & Proc. Asiat. Soc. Bengal (New Series) 26(1) : 352, 1930.

Lectotype : Marole, Salsette-2 (1840) (Dec., 1916).

Syntype : Marole, Salsette-2 (1837) (Dec., 1916).

The original publication mentions ‘Locality: Bombay Presidency, Salsette, near Marole (McCann & Blatter no. 12345, type)—flowered and fruited in December, 1916’.

In the Blatter Herbarium, there are two herbarium sheets with nos. 1837 and 1840, collected from Marole, Salsette Island, during December, 1916. Herbarium label of specimen no. 1840 gives, ‘*Limnophila* sp. nov. no. 2, type species’. It is presumed here that no. 1840 is the corresponding no. 2 specimen from nos. 1, 2, 3, 4 & 5 which are misprinted in the original paper as no. 12345. Therefore no. 2 (1840) is selected herein as the lectotype of the species.

187. **Mazus mccannii** Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 25(3) : 423-4, 1918.

- Lectotype : C. McCann—Igatpuri-1720  
(Sept., 1917),  
Syntype : C. McCann—Igatpuri-1721  
(Sept., 1917).

Out of the six specimens mentioned under types for this species only two are available in Blatter Herbarium. Specimen no. 1720 is selected herein as the lectotype of the species and specimen no. 1721 is designated as syntype.

188. *Striga gesneroides* var. *minor* Santapau,  
in Kew Bull. 1948 : 491, 1949.

Holotype : H. Santapau—Khandala-3072 (6-11-1943),

Isotype : H. Santapau—Khandala-3073 (6-11-1943),

Paratypes : H. Santapau—Khandala-3417 (24-12-1943),

                  H. Santapau—Khandala-3451 (27-12-1943),

                  H. Santapau—Khandala-3438 (26-12-1943),

                  H. Santapau—Khandala-5262 (2-11-1944).

189. *Torenia indica* C. Saldanha, in Bull. Bot. Surv. India 8(2) : 126-8, 1966.

Holotype : C. Saldanha—Waghai, Dangs-6733 (26-8-1961),

Isotypes : C. Saldanha—Waghai, Dangs-6730, 6732, 6735 (26-8-1961),

Paratypes : H. Santapau—Waghai, Dangs-19166 (3-9-1954),

                  H. Santapau—Pimpri, Dangs-19332 (7-9-1954).

190. *Torenia lindern'oides* C. Saldanha, in Bull. Bot. Surv. India 8(2) : 129-30, 1966.

Holotype : L. J. Sedgwick—Kali nadi-Dandeli-2511 (May, 1917),

Paratypes : L. J. Sedgwick—Yellapur-2433 (May, 1917),

- H. Santapau—Londa-10828  
(21-4-1950),  
C. Saldanha—Wynad-7509-10 (11-10-1961).

191. *Veronica anagallis* var. *bracteata* Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 25(3) : 427, 1918.

Holotype : Blatter & Hallberg—Mount Abu-1633 (Oct., 1933).

#### SOLANACEAE

192. *Solanum mccannii* Santapau, in Journ. Bombay nat. Hist. Soc. 47 : 654, 1948.

Lectotype : H. Santapau—Khandala-2972 (18-10-1943),

Syntype : H. Santapau—Khandala-2973 (18-10-1943).

In the original publication both the above mentioned specimens are given as types. No. 2972 is herein selected as the lectotype of the species.

#### STERCULIACEAE

193. *Melhania magnifolia* Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 26(1) : 228, 1918.

Lectotype : E. Blatter—Jodhpur-7285 (Oct., 1917).

(See Santapau, 1959 A).

194. *Melhania tomentosa* var. *major* Blatter et Hallberg, in Journ. Bombay nat. Hist. Soc. 26(1) : 228, 1918.

Lectotype : Blatter & Hallberg—Barmer-7286 (Nov., 1917).

(See Santapau, 1959 A).

**TYPE SPECIES IN BLATTER HERBARIUM**

**TAMARICACEAE**

195. *Reumuria punjgurica* Blatter et Hallberg, in Journ. Indian Bot. 1 : 9, 1919.

Holotype : J. E. B. Houston—Punjgur-M-321 (12-5-1918).

196. *Tamarix longepedunculata* Blatter et Hallberg, in Journ. Indian Bot. 1 : 9, 1919.

Holotype : —, Kalat-228 (2-9-1917).

**VIOLACEAE**

201. *Viola oblonga* Blatter, in Journ. Indian Bot. Soc. 9(4) : 200-201, 1930.

Holotype : J. Fernandez—Razmak-2017 (30-4-1927).

Paratypes : J. Fernandez—Razmak-1550 (10-5-1927),

J. Fernandez—Razmak-2332 (7-5-1927).

**UMBELLIFERAE**

197. *Pimpinella clarkeana* Watt. ex Banerji, in Journ. Bombay nat. Hist. Soc. 50(1) : 88, 1951.

Paratype : M. L. Banerji—E. Nepal-446 (21-5-1948).

198. *Pimpinella multiradiata* Santapau, in Kew Bull. 1948 : 485, 1949.

Holotype : H. Santapau—Khandala-8054 (25-11-1945),

Isotype : H. Santapau—Khandala-8053 (25-11-1945).

**ZINGIBERACEAE**

202. *Curcuma inodora* Blatter, in Journ. & Proc. Asiatic. Soc. Bengal (New Series) 26 : 357-8, 1930.

Holotype : Hallberg—Moolgaon-12724 (June, 1917).

**ZYGOPHYLLACEAE**

203. *Fagonia spinosissima* Blatter et Hallberg, in Journ. Indian Bot. 1 : 12, 1919.

Holotype : J. E. B. Houston—Punjgur-M-8E (23-5-1918).

**VERBENACEAE**

199. *Clerodendrum serratum* var. *pubescens* Moldenke, in Phytologia 6(6) : 324, 1958.

Holotype : S. K. Wagh—Vizag. Dt.-2592 (11-5-1956).

200. *Clerodendrum villosum* var. *macrocalyx* Moldenke, in Phytologia 6(6) : 325, 1958.

Holotype : P. V. Bole—Dandeli, N. Kanara-1457 (25-12-1955).

204. *Zygophyllum trialatum* Blatter et Hallberg, in Journ. Indian Bot. 1 : 90, 1919.

Lectotype : —, Baluchistan-s.n. (Aug., 1917).

According to the authors, the type specimen of this species was collected from Quetta in July, 1918. There is no specimen in the Blatter Herbarium, identified by E. Blatter, which is collected from Baluchistan in August, 1917. Since the specimen from Quetta is not located, the specimen from Baluchistan is selected herein as the lectotype of the species.

REF E R E N C E S

- SANTAPAU, H. (1952) : Records of the Botanical Survey of India, vol. 16, no. 1.
- \_\_\_\_\_(1957) : Madras State Herbarium Centenary Souvenir, pp. 38-47, 1954.
- \_\_\_\_\_(1959A) : Lectotypes of the species and varieties described by Blatter and Hallberg in their 'Flora of the Indian Desert'. *J. Bombay nat. Hist. Soc.* 56(2) : 276-281.
- \_\_\_\_\_(1959B) : *Journ. Indian Bot. Soc.* 38 : 301-4, 1959.
- \_\_\_\_\_(1965A) : *Proc. Indian Science Congress* 2 : 79-104.
- \_\_\_\_\_(1965B) : *Science & Culture* 31 : 456-67.
- BOR, N. L. (1960) : International Series of Monographs on Pure and Applied Biology, vol. 1.
- LANJOUW, J. et al. (1972) : International Code of Botanical Nomenclature. Netherlands.